



**SAFETY DATA SHEET**  
**TRICEL PROFESSIONAL OXY POWDER**  
 Commission Regulation (EU) No 2015/830 of 28 May 2015.

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1. Product identifier**

**Product name** TRICEL PROFESSIONAL OXY POWDER  
**Product number** 800-300-3779 S10  
**Container size** 5kg

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

**Identified uses** Washing and cleaning.

**1.3. Details of the supplier of the safety data sheet**

**Supplier** COVENTRY CHEMICALS LTD  
 WOODHAMS RD  
 SISKIN DRIVE  
 COVENTRY  
 CV3 4FX  
 Tel: +44 (0) 02476639739  
 Fax: +44 (0) 02476639717  
 Email: sales@coventrychemicals.com

**Contact person** sds@coventrychemicals.com

**1.4. Emergency telephone number**

**Emergency telephone** +44 (0) 1865407333 (Strictly for emergencies only: incidents involving damage to human health and/or the environment)

**National emergency telephone number** In case of a medical emergency following exposure to a chemical call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24

**SECTION 2: Hazards identification**

**2.1. Classification of the substance or mixture**

**Classification (EC 1272/2008)**

**Physical hazards** Ox. Sol. 3 - H272  
**Health hazards** Acute Tox. 4 - H302 Eye Dam. 1 - H318  
**Environmental hazards** Not Classified

**2.2. Label elements**

**Pictogram**



**Signal word**

Danger

## TRICEL PROFESSIONAL OXY POWDER

<b>Hazard statements</b>	H272 May intensify fire; oxidiser. H302 Harmful if swallowed. H318 Causes serious eye damage.
<b>Precautionary statements</b>	P102 Keep out of reach of children. P264 Wash hands thoroughly after handling. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P280 Wear eye protection. P301+P312 IF SWALLOWED: Call a POISON CENTRE/doctor if you feel unwell. P220 Keep away from combustible materials. P501 - Dispose of contents/container to a hazardous or special waste collection point.
<b>Contains</b>	SODIUM PERCARBONATE, C12-15 FATTY ALCOHOL 7MOL EO

### 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

<b>SODIUM PERCARBONATE</b>		<b>60-100%</b>
CAS number: 15630-89-4		
<b>Classification</b>	<b>Classification (67/548/EEC or 1999/45/EC)</b>	
Ox. Sol. 3 - H272	Xn;R22. Xi;R41. O;R8.	
Acute Tox. 4 - H302		
Eye Dam. 1 - H318		
<b>SODIUM CARBONATE</b>		<b>10-30%</b>
CAS number: 497-19-8	EC number: 207-838-8	REACH registration number: 01-2119485498-19-XXXX
<b>Classification</b>	<b>Classification (67/548/EEC or 1999/45/EC)</b>	
Eye Irrit. 2 - H319	Xi;R36	
<b>C12-15 FATTY ALCOHOL 7MOL EO</b>		<b>1-5%</b>
CAS number: 68131-39-5		
M factor (Acute) = 1		
<b>Classification</b>	<b>Classification (67/548/EEC or 1999/45/EC)</b>	
Eye Dam. 1 - H318	Xn;R22. Xi;R41. N;R50.	
Aquatic Acute 1 - H400		
Aquatic Chronic 3 - H412		

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

<b>General information</b>	Provide eyewash station.
<b>Inhalation</b>	Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.

## TRICEL PROFESSIONAL OXY POWDER

<b>Ingestion</b>	Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention.
<b>Skin contact</b>	Rinse immediately with plenty of water. Remove contaminated clothing. Get medical attention if irritation persists after washing.
<b>Eye contact</b>	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if irritation persists after washing. Show this Safety Data Sheet to the medical personnel.

### 4.2. Most important symptoms and effects, both acute and delayed

<b>Inhalation</b>	May cause respiratory irritation.
<b>Ingestion</b>	Harmful if swallowed. Ingestion may cause severe irritation of the mouth, the oesophagus and the gastrointestinal tract. Nausea, vomiting. Diarrhoea. May be harmful if swallowed and enters airways.
<b>Skin contact</b>	Prolonged skin contact may cause redness and irritation.
<b>Eye contact</b>	May cause serious eye damage. Severe irritation.

### 4.3. Indication of any immediate medical attention and special treatment needed

<b>Notes for the doctor</b>	No specific recommendations.
-----------------------------	------------------------------

## **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

<b>Suitable extinguishing media</b>	Use fire-extinguishing media suitable for the surrounding fire. Foam, carbon dioxide or dry powder.
-------------------------------------	---

### 5.2. Special hazards arising from the substance or mixture

<b>Specific hazards</b>	The product is non-combustible. May cause or intensify fire; oxidiser.
<b>Hazardous combustion products</b>	No known hazardous decomposition products.

### 5.3. Advice for firefighters

<b>Protective actions during firefighting</b>	Control run-off water by containing and keeping it out of sewers and watercourses.
<b>Special protective equipment for firefighters</b>	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

## **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

<b>Personal precautions</b>	For personal protection, see Section 8. In case of spills, beware of slippery floors and surfaces.
-----------------------------	--

### 6.2. Environmental precautions

<b>Environmental precautions</b>	Collect and dispose of spillage as indicated in Section 13. Do not discharge into drains or watercourses or onto the ground.
----------------------------------	--

### 6.3. Methods and material for containment and cleaning up

## TRICEL PROFESSIONAL OXY POWDER

**Methods for cleaning up** Collect spillage with a shovel and broom, or similar and reuse, if possible. Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.

### 6.4. Reference to other sections

**Reference to other sections** For personal protection, see Section 8. See Section 11 for additional information on health hazards. For waste disposal, see Section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

**Usage precautions** Provide adequate ventilation. Avoid contact with skin and eyes. Wear protective clothing as described in Section 8 of this safety data sheet. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Do not eat, drink or smoke when using this product.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions** Store in tightly-closed, original container in a dry and cool place. Protect from moisture. Keep out of the reach of children. Store at temperatures not exceeding 40°C.

### 7.3. Specific end use(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.2.

## SECTION 8: Exposure Controls/personal protection

### 8.1. Control parameters

#### SODIUM PERCARBONATE (CAS: 15630-89-4)

**DNEL** Workers - Inhalation; Long term local effects: 5 mg/m<sup>3</sup>  
 Workers - Dermal; Long term local effects: 12.8 mg/cm<sup>2</sup>  
 Workers - Dermal; Short term local effects: 12.8 mg/cm<sup>2</sup>  
 General population - Dermal; Long term local effects: 6.4 mg/cm<sup>2</sup>  
 General population - Dermal; Short term local effects: 6.4 mg/cm<sup>2</sup>

**PNEC** - Fresh water; 0.035 mg/l  
 - Marine water; 0.035 mg/l  
 - STP; 16.24 mg/l

#### SODIUM CARBONATE (CAS: 497-19-8)

**DNEL** Workers - Inhalation; Long term local effects: 10 mg/m<sup>3</sup>  
 General population - Inhalation; Long term local effects: 10 mg/m<sup>3</sup>

### 8.2. Exposure controls

#### Protective equipment



**Appropriate engineering controls** Provide adequate ventilation.

## TRICEL PROFESSIONAL OXY POWDER

<b>Eye/face protection</b>	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses. Personal protective equipment for eye and face protection should comply with European Standard EN166.
<b>Hand protection</b>	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. To protect hands from chemicals, gloves should comply with European Standard EN374. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. The breakthrough time for any glove material may be different for different glove manufacturers. The selected gloves should have a breakthrough time of at least 240 hours. It is recommended that gloves are made of the following material: Rubber (natural, latex). Butyl rubber. Thickness: > 0.5 mm Nitrile rubber. Thickness: > 0.35 mm
<b>Other skin and body protection</b>	Wear appropriate clothing to prevent repeated or prolonged skin contact. Use appropriate skin cream to prevent drying of skin.
<b>Hygiene measures</b>	When using do not eat, drink or smoke. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Use appropriate skin cream to prevent drying of skin.
<b>Respiratory protection</b>	Respiratory protection not required.
<b>Environmental exposure controls</b>	Avoid releasing into the environment.

### SECTION 9: Physical and Chemical Properties

#### 9.1. Information on basic physical and chemical properties

<b>Appearance</b>	Crystalline powder.
<b>Colour</b>	White.
<b>Odour</b>	Odourless.
<b>Odour threshold</b>	Not applicable. Not applicable.
<b>pH</b>	pH (diluted solution): 10.3-10.7 1g/100ml
<b>Flammability (solid, gas)</b>	The product is not flammable.
<b>Relative density</b>	920-1080 g/l
<b>Solubility(ies)</b>	Completely soluble in water.
<b>Explosive under the influence of a flame</b>	Not considered to be explosive.
<b>Oxidising properties</b>	The product contains a substance classified as oxidising.
<b>Comments</b>	Information given is applicable to the product as supplied.

#### 9.2. Other information

<b>Other information</b>	Not relevant.
--------------------------	---------------

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

<b>Reactivity</b>	May intensify fire; oxidiser.
-------------------	-------------------------------

#### 10.2. Chemical stability

## TRICEL PROFESSIONAL OXY POWDER

**Stability** Stable at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

**Possibility of hazardous reactions** Not applicable.

### 10.4. Conditions to avoid

**Conditions to avoid** Avoid excessive heat for prolonged periods of time. Acids.

### 10.5. Incompatible materials

**Materials to avoid** No specific material or group of materials is likely to react with the product to produce a hazardous situation.

### 10.6. Hazardous decomposition products

**Hazardous decomposition products** No known hazardous decomposition products.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

**Toxicological effects** Information given is based on data of the components and of similar products.

#### Acute toxicity - oral

**Notes (oral LD<sub>50</sub>)** Harmful if swallowed. Calculation method.

**ATE oral (mg/kg)** 1,723.33

#### Acute toxicity - dermal

**Notes (dermal LD<sub>50</sub>)** Based on available data the classification criteria are not met.

#### Acute toxicity - inhalation

**Notes (inhalation LC<sub>50</sub>)** Based on available data the classification criteria are not met.

#### Skin corrosion/irritation

**Skin corrosion/irritation** Based on available data the classification criteria are not met.

#### Serious eye damage/irritation

**Serious eye damage/irritation** Causes serious eye damage. Calculation method.

#### Respiratory sensitisation

**Respiratory sensitisation** Based on available data the classification criteria are not met.

#### Skin sensitisation

**Skin sensitisation** Based on available data the classification criteria are not met.

#### Germ cell mutagenicity

**Genotoxicity - in vitro** Does not contain any substances known to be mutagenic.

#### Carcinogenicity

**Carcinogenicity** Does not contain any substances known to be carcinogenic.

#### Reproductive toxicity

**Reproductive toxicity - fertility** Does not contain any substances known to be toxic to reproduction.

#### Specific target organ toxicity - single exposure

**STOT - single exposure** Not classified as a specific target organ toxicant after a single exposure.

#### Specific target organ toxicity - repeated exposure

## TRICEL PROFESSIONAL OXY POWDER

<b>STOT - repeated exposure</b>	Not classified as a specific target organ toxicant after repeated exposure.
<b>General information</b>	This product has low toxicity. Only large quantities are likely to have adverse effects on human health.
<b>Ingestion</b>	May cause irritation. Symptoms following overexposure may include the following: Stomach pain. Nausea, vomiting. Diarrhoea.
<b>Skin contact</b>	Skin irritation should not occur when used as recommended. Prolonged and frequent contact may cause redness and irritation.
<b>Eye contact</b>	A single exposure may cause the following adverse effects: Corneal damage. Severe irritation, burning, tearing and blurred vision.

### Toxicological information on ingredients.

#### SODIUM PERCARBONATE

##### Acute toxicity - oral

Acute toxicity oral (LD<sub>50</sub> mg/kg) 1,034.0

Species Rat

ATE oral (mg/kg) 1,034.0

##### Acute toxicity - dermal

Acute toxicity dermal (LD<sub>50</sub> mg/kg) 2,000.1

Species Rabbit

ATE dermal (mg/kg) 2,000.1

#### SODIUM CARBONATE

##### Acute toxicity - oral

Acute toxicity oral (LD<sub>50</sub> mg/kg) 2,800.0

Species Rat

##### Acute toxicity - dermal

Acute toxicity dermal (LD<sub>50</sub> mg/kg) 2,000.0

Species Rabbit

##### Acute toxicity - inhalation

Acute toxicity inhalation (LC<sub>50</sub> dust/mist mg/l) 2.3

Species Rat

### SECTION 12: Ecological Information

**Ecotoxicity** There are no data on the ecotoxicity of this product. Not regarded as dangerous for the environment.

#### 12.1. Toxicity

## TRICEL PROFESSIONAL OXY POWDER

### Ecological information on ingredients.

#### SODIUM PERCARBONATE

##### Acute aquatic toxicity

**Acute toxicity - fish** LC<sub>50</sub>, 70.7 hours: 48 mg/l, Pimephales promelas (Fat-head Minnow)  
REACH dossier information.

**Acute toxicity - aquatic invertebrates** EC<sub>50</sub>, 48 hours: 4.9 mg/l, Freshwater invertebrates  
REACH dossier information.

#### SODIUM CARBONATE

##### Acute aquatic toxicity

**Acute toxicity - fish** LC<sub>50</sub>, 96 hours: 300 mg/l, Lepomis macrochirus (Bluegill)

**Acute toxicity - aquatic invertebrates** EC<sub>50</sub>, 48 hours: 265 mg/l, Daphnia magna

### 12.2. Persistence and degradability

**Persistence and degradability** There are no data on the degradability of this product. The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request, or at the request of a detergent manufacturer.

### 12.3. Bioaccumulative potential

**Bioaccumulative potential** No data available on bioaccumulation.

### 12.4. Mobility in soil

**Mobility** The product is water-soluble and may spread in water systems.

### 12.5. Results of PBT and vPvB assessment

**Results of PBT and vPvB assessment** This product does not contain any substances classified as PBT or vPvB.

### 12.6. Other adverse effects

**Other adverse effects** None known.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

**General information** Do not discharge into drains or watercourses or onto the ground.

**Disposal methods** Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Packaging is recyclable.

## SECTION 14: Transport information

**General** As supplied, this product is consigned under the Limited Quantities provisions.

### 14.1. UN number

**UN No. (ADR/RID)** 1479

**UN No. (IMDG)** 1479

**UN No. (ICAO)** 1479

**UN No. (ADN)** 1479



## TRICEL PROFESSIONAL OXY POWDER

### 14.2. UN proper shipping name

<b>Proper shipping name (ADR/RID)</b>	OXIDIZING SOLID, N.O.S. (CONTAINS SODIUM PERCARBONATE)
<b>Proper shipping name (IMDG)</b>	OXIDIZING SOLID, N.O.S. (CONTAINS SODIUM PERCARBONATE)
<b>Proper shipping name (ICAO)</b>	OXIDIZING SOLID, N.O.S. (CONTAINS SODIUM PERCARBONATE)
<b>Proper shipping name (ADN)</b>	OXIDIZING SOLID, N.O.S. (CONTAINS SODIUM PERCARBONATE)

### 14.3. Transport hazard class(es)

<b>ADR/RID class</b>	5.1
<b>ADR/RID classification code</b>	O2
<b>ADR/RID label</b>	5.1
<b>IMDG class</b>	5.1
<b>ICAO class/division</b>	5.1
<b>ADN class</b>	5.1

#### Transport labels



### 14.4. Packing group

<b>ADR/RID packing group</b>	III
<b>IMDG packing group</b>	III
<b>ADN packing group</b>	III
<b>ICAO packing group</b>	III

### 14.5. Environmental hazards

**Environmentally hazardous substance/marine pollutant**  
No.

### 14.6. Special precautions for user

<b>EmS</b>	F-A, S-Q
<b>ADR transport category</b>	3
<b>Emergency Action Code</b>	1Y
<b>Hazard Identification Number (ADR/RID)</b>	50
<b>Tunnel restriction code</b>	(E)

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## TRICEL PROFESSIONAL OXY POWDER

<b>National regulations</b>	The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as amended). The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716).
<b>EU legislation</b>	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Commission Regulation (EU) No 453/2010 of 20 May 2010. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents (as amended). Commission Regulation (EU) No 2015/830 of 28 May 2015.
<b>Guidance</b>	Workplace Exposure Limits EH40. CHIP for everyone HSG228. COSHH Essentials. Approved Classification and Labelling Guide (Sixth edition) L131. Safety Data Sheets for Substances and Preparations.

### 15.2. Chemical safety assessment

No information available.

### SECTION 16: Other information

<b>Abbreviations and acronyms used in the safety data sheet</b>	DNEL: Derived No Effect Level. PNEC: Predicted No Effect Concentration. PBT: Persistent, Bioaccumulative and Toxic substance. vPvB: Very Persistent and Very Bioaccumulative.
<b>Revision comments</b>	NOTE: Lines within the margin indicate significant changes from the previous revision.
<b>Revision date</b>	26/07/2018
<b>Revision</b>	3
<b>Supersedes date</b>	15/06/2017
<b>SDS number</b>	20991
<b>Hazard statements in full</b>	H272 May intensify fire; oxidiser. H302 Harmful if swallowed. H318 Causes serious eye damage. H319 Causes serious eye irritation. H400 Very toxic to aquatic life. H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.